



CERTIFICATE OF ANALYSIS

SHIPMENT NO.	21131640	PRODUCT	PVC RESIN	GRADE	PB1202
LOT NO.	1806155A	QUANTITY (KG)	2,340	ISSUING DATE	2018. 06. 30
CUSTOMER	SOLAN COMPANY				

TYPICAL VALUES

PROPERTY	TEST METHOD	UNIT	SPEC	RESULT
APPEARANCE	-	-	-	WHITE POWDER
BULK DENSITY	ASTM D1895	g/cmf	0.34-0.38	0.34
VOLATILES	ASTM D3030	%	Max. 0.20	0.15
DEGREE OF POLYMERIZATION	ASTM D1243		1000-1100	1030
B.F VISCOSITY(initial)	ASTM D1824	ps	100-400	270
S.V VISCOSITY(4bar)	ASTM D1823	g/sec	Min. 0.30	0.62



CERTIFICATE OF ANALYSIS

SHIPMENT NO.	21131640	PRODUCT	PVC RESIN	GRADE	PB1202
LOT NO.	1806145B	QUANTITY (KG)	63,460	ISSUING DATE	2018. 06. 30
CUSTOMER	SOLAN COMPANY				

TYPICAL VALUES

PROPERTY	TEST METHOD	UNIT	SPEC	RESULT
APPEARANCE	-	-	-	WHITE POWDER
BULK DENSITY	ASTM D1895	g/cm ³	0.34-0.38	0.34
VOLATILES	ASTM D3030	%	Max. 0.20	0.16
DEGREE OF POLYMERIZATION	ASTM D1243		1000-1100	1030
B.F VISCOSITY(initial)	ASTM D1824	ps	100-400	260
S.V VISCOSITY(4bar)	ASTM D1823	g/sec	Min. 0.30	0.63



CERTIFICATE OF ANALYSIS

SHIPMENT NO.	21131640	PRODUCT	PVC RESIN	GRADE	PB1202
LOT NO.	1806135B	QUANTITY (KG)	29,400	ISSUING DATE	2018. 06. 30
CUSTOMER	SOLAN COMPANY				

TYPICAL VALUES

PROPERTY	TEST METHOD	UNIT	SPEC	RESULT
APPEARANCE	-	-	-	WHITE POWDER
BULK DENSITY	ASTM D1895	g/cm ³	0.34-0.38	0.34
VOLATILES	ASTM D3030	%	Max. 0.20	0.15
DEGREE OF POLYMERIZATION	ASTM D1243		1000-1100	1030
B.F VISCOSITY(initial)	ASTM D1824	ps	100-400	250
S.V VISCOSITY(4bar)	ASTM D1823	g/sec	Min. 0.30	0.62